

Residential Structure Fire Causes

Report Parameters:

Report Period: 1/1/05 - 6/30/05

Version: 5.0

Status: All

Released: All

Report Filters: No Filters Applied

NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group 2 AND Group 3 etc...)

State: NE

Report FDIDs: All

Residential Structure Fire Causes

State: NE Report Period: 1/1/05 - 6/30/05

CODE	CATEGORY	FREQ	FREQ %	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
01	Incendiary, Suspicious	25	8.96%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	460,050	17.13%	163,000	17.38%	623,050	17.19%
02	Children Playing	3	1.08%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	7,000	0.26%	5,500	0.59%	12,500	0.34%
03	Smoking	8	2.87%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	21,000	0.78%	300	0.03%	21,300	0.59%
04	Heating	33	11.83%	0	0.00%	1	7.69%	0	0.00%	0	0.00%	118,000	4.39%	43,000	4.58%	161,000	4.44%
05	Cooking	58	20.79%	0	0.00%	1	7.69%	0	0.00%	0	0.00%	9,150	0.34%	10,252	1.09%	19,402	0.54%
06	Electrical Distribution	5	1.79%	0	0.00%	1	7.69%	0	0.00%	0	0.00%	127,000	4.73%	75,000	8.00%	202,000	5.57%
07	Appliances, Air Conditioning	3	1.08%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	40,400	1.50%	30,000	3.20%	70,400	1.94%
08	Open Flame, Ember, Torch	14	5.02%	1	33.33%	0	0.00%	0	0.00%	0	0.00%	117,800	4.39%	6,000	0.64%	123,800	3.42%
09	Other Heat, Flame, Spark	18	6.45%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	56,500	2.10%	33,150	3.53%	89,650	2.47%
10	Other Equipment	1	0.36%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
11	Natural	7	2.51%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	322,500	12.01%	66,000	7.04%	388,500	10.72%
12	Exposure	2	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	500	0.02%	0	0.00%	500	0.01%
13	Unknown Cause	104	37.28%	2	66.67%	10	76.92%	0	0.00%	2	100.00%	1,405,970	52.35%	505,680	53.92%	1,911,650	52.75%
Totals		281	100.00%	3	100.00%	13	100.00%	0	100.00%	2	100.00%	2,685,870	100.00%	937,882	100.00%	3,623,752	100.00%